

ScienceDirect



Mapping research on hydropower and sustainability in the Brazilian Amazon: advances, gaps in knowledge and future directions



Simone Athayde¹, Mason Mathews², Stephanie Bohlman³, Walterlina Brasil⁴, Carolina RC Doria⁵, Jynessa Dutka-Gianelli⁶, Philip M Fearnside⁷, Bette Loiselle⁸, Elineide E Marques⁹, Theodore S Melis¹⁰, Brent Millikan¹¹, Evandro M Moretto¹², Anthony Oliver-Smith¹³, Amintas Rossete¹⁴, Raffaele Vacca¹⁵ and David Kaplan¹⁶

In the last twenty years, multiple large and small hydroelectric dams have begun to transform the Amazonian region, spawning a growing volume of academic research across diverse disciplinary and interdisciplinary fields. In this article, we offer a critical review of recent research related to hydropower and sustainability with a focus on the Brazilian Amazon. We revisit the sustainability concept to include the contribution of various knowledge fields and perspectives for understanding, managing and making decisions about social-ecological systems transformed by dams. We conducted a literature review in Web of Science of academic publications centered in the past 5 years (2014–2019), on diverse aspects of hydropower planning, construction, operation and monitoring in the Brazilian Amazon. We present results of a co-occurrence network analysis of publications, highlighting bridging fields, network disconnections, and opportunities for interdisciplinary research. Finally, we report recent advances in the understanding and management of social-ecological systems in Amazonian watersheds, including biophysical, socio-economic, governance and development processes linked to hydropower planning and implementation. This review identifies knowledge gaps and future research directions, highlighting opportunities for improved communication among scientists, practitioners, decision-makers, indigenous peoples and local communities.

Addresses

Corresponding author: Athayde, Simone (simonea@ufl.edu)

Current Opinion in Environmental Sustainability 2019, 37:50-69

This review comes from a themed issue on Sustainability challenges

Edited by Emilio F Moran and Simone Athayde

For a complete overview see the Issue and the Editorial

Available online 1st August 2019

https://doi.org/10.1016/i.cosust.2019.06.004

1877-3435/© 2019 Elsevier B.V. All rights reserved.

Introduction

The Amazon River basin is the largest freshwater system in the world, providing critical benefits to local populations, national societies and humanity at large. Despite the relatively conserved state of Amazonian watersheds compared to US or European rivers, these ecosystems are facing rapid transformations caused by agricultural expansion, urbanization, overharvesting of animal and plant species, and infrastructure development [1,2**,3**,4].

As a region of global superlatives hosting enormous cultural and biological diversity, the Amazon is also a relatively untapped source of energy for Latin American countries reliant on hydroelectric energy [5]. Construction of

¹ Tropical Conservation and Development Program (TCD), Center for Latin American Studies, University of Florida, 381 Grinter Hall, P.O. Box 115530, Gainesville, FL, 32611-5530, USA

² Natural Hazards Center, University of Colorado Boulder, Boulder, USA ³ School of Forest Resources and Conservation (SFRC), University of Florida, Gainesville, USA

⁴ Department of Education, Federal University of Rondônia (UNIR), Porto

⁵ Laboratory of Ichthyology and Fisheries, Department of Biology, Federal University of Rondônia (UNIR), Porto Velho, Brazil ⁶ Department of Community Sustainability, Michigan State University

⁽MSU), USA ⁷ National Institute for Amazonian Research (INPA), Manaus, Brazil ⁸ Department of Wildlife Ecology and Conservation (WEC) and Tropical

Conservation and Development Program (TCD), Center for Latin American Studies, University of Florida, Gainesville, USA ⁹ Graduate Program in Environmental Sciences, (PPGCiamb),

Department of Biology, Federal University of Tocantins, Palmas, Brazil

¹⁰ U. S. Geological Survey (USGS), Southwest Biological Science Center, Flagstaff, USA

International Rivers Network, Amazon Program, Brasília, Brazil ¹² Institute of Energy and Environment, School of Arts, Sciences and Humanities, University of São Paulo, São Paulo, Brazil

¹³ Department of Anthropology, University of Florida, Gainesville, USA ¹⁴ Faculty of Agrarian Sciences, State University of Mato Grosso

⁽UNEMAT), Nova Xavantina, Brazil

¹⁵Department of Sociology and Criminology and Law, University of Florida, Gainesville, USA

¹⁶ Engineering School of Sustainable Infrastructure and Environment (ESSIE), Department of Environmental Engineering Sciences, University of Florida, Gainesville, USA


hydroelectric dams (both large and small) on tributaries of the Amazon River in Brazil (see Figure 1) has advanced over the past two decades as a result of long-term governmental plans geared towards increased energy security, economic growth, industrialization and improved living standards [5–7]. These efforts are part of the Initiative for the Integration of the Regional Infra-structure of South America (IIRSA), which seeks to transform Amazonia into a continental source of hydropower and linked by an intermodal hub of roads, ports. waterways, and railroads [8]. The effects of social-ecological transformations triggered by dams, such as resource extraction and associated infrastructure development in the Brazilian Amazon, will be magnified by existing and proposed dams in the Amazon-Andes region [2°,9,10°]. The rapid pace of planned development, the spatial scale of effects, and the potential for detrimental and irreversible loss of biodiversity and globally important environmental services, make this hydrologic transformation unprecedented in its consequences. Large dams are predicted to have wide-spread impacts on watersheds, forests, people, economies and climate, from local to global scales [2**,11*,12*]. Small dams are also modifying the Amazon landscape at an increasing rate, supported by international and national policies and regulations that often include less strict environmental licensing processes [13°,14°].

Despite a history of hydropower development in the Amazon since the 1970s, the cumulative, synergistic and long-term effects of dams on rivers, forests, and social systems are still underestimated in planning, decision-making and management [2°,15–18]. Gaps in understanding are largely due to lack of rigorous, independent research, lack of articulation and integration of existing data and knowledge, as well as due to a piece-meal approach to studies informing environmental and social impact assessments and mitigation. Further, the short time period allowed for pre-dam and post-dam monitoring limits opportunities for improving management and possible dam re-operation to better meet multiple objectives, efforts that have been implemented in other regulated rivers of the world (e.g. Colorado River in the US) [19].

Sustainability science focuses on generating, articulating and applying knowledge to development problems, governance and decision-making, from local to global scales [20]. In order to meet the needs of present generations without compromising those of future ones, as sustainability is defined, decision-makers need to map-out and consider the best existing science and knowledge. This entails including multiple perspectives (i.e. embracing pluralism), options and trade-offs in planning and decision-making, and requires greater integration of different types of information and knowledge held by diverse social groups, scientists, practitioners and other relevant actors [21–23].

Social-ecological systems (SES) can be conceptualized as systems composed of hierarchical nested elements: resource

Figure 1



Map of the Amazon basin showing small (SHPs) and large (LHPs) hydropower projects planned, inventoried and in operation in major Brazilian watersheds. Sources: SHPs and LHPs: ANEEL (2019); Protected Areas, Brazilian rivers, watersheds: MMA; Indigenous lands: FUNAI; South American rivers: HydroSHEDS

units (natural) and users (human), resource systems (linked natural-human systems), governance systems and wider social, economic and political settings at different scales [24]. We broadly define institutions as systems of established and prevalent social rules that structure social interactions [25]. Governance includes the development and application of principles, rules and norms and the enabling of institutions that guide public and private interactions in managing socialecological systems [26]. Managing SES sustainably in the context of dams involves: (1) understanding and modeling the interactions of a system's components at different spatial and temporal scales; and (2) making informed decisions based on assessment of these interactions [27,28].

In Amazonian countries, insufficient assessment and monitoring of social-ecological transformations associated with hydropower are worsened by the limited and/or inadequate participation of social actors in the planning, construction, monitoring, mitigation and operational stages of dam implementation [29,30°,31,32]. Inconsistencies within and across governmental institutions and policies and poor communication between stakeholders (academics, civil society, government, private companies, communities) have exacerbated social conflicts, increased judicialization processes, and resulted in poor performance of mitigation and monitoring programs [30°,33°,34,35]. In particular, the recent planning and construction of hydroelectric dams across major river basins in the Brazilian Amazon (Tocantins, Madeira, Xingu, and Tapajós) have triggered violent conflicts, lacked adequate consultation with indigenous and traditional communities, and have been notorious for violation of human rights and corruption scandals [33°,35–37].

In this article, we review recent advances in research and knowledge production on hydropower development in the Brazilian Amazon in the last five years, identifying progress on key themes and disciplinary fields, as well as knowledge gaps and future research directions. The synthesis and review process, including the definition of key fields, themes and critical questions, are based on analyses of the Web of Science (WOS) database of scientific publications, as well as from collaborative work done among members of the Amazon Dams Research Network (ADN/RBA/RIRA). We begin by presenting results of analyses of WOS data focused on publications about Brazilian and Amazon dams, showing how research on this topic has developed through time. We then provide a co-occurrence network analysis for a subset of 290 articles about Brazilian Amazon hydroelectric dams published in the last five years (2014–2019), highlighting the main

disciplinary fields that are contributing knowledge on this topic, how they are connected, what fields are more central to this subject, and which ones are acting as disciplinary bridges. Next, we present a critical analysis of this set of publications, synthesizing information on academic fields, institutions and funding sources. Finally, we offer a critical review of recent advances, gaps of knowledge and future research directions.

Methods

This review is based on compilation, synthesis and analysis of data on scientific publications found in the Web of Science² (WOS) database (including all databases available) for different time periods and with different geographic foci. We initially conducted a search using the terms 'Brazil' AND 'dam and/or dams; and/or hydroelectric; and/or hydropower' for the 1968-2019 period (50 years), which produced 3866 records. We then conducted a search for the same period replacing 'Brazil' by 'Amazon or Amazonian' as a key word, which produced 847 records. The first year to present a publication record on this topic for Brazil was 1973.


We conducted an analysis of themes and subject cooccurrence patterns in existing published research on dams focused on hydropower development in the Brazilian Amazon. Analyses of co-authorship patterns in journal articles have been used to measure the growth of team science [38], study the evolution of scientific fields [39], identify research groups and communities [40-42], explain research performance [43], and identify influential scientists [44], among other things. While co-authorship studies are concerned with professional relationships among scientists that lead to publications, a subject co-occurrence analysis can reveal the connections and gaps between the scientific disciplines that shape academic knowledge production.

For the analysis of co-occurrence of subject categories in the same publications, we cleaned the initial dataset of 471 records to include only publications related to hydropower in the Brazilian Amazon, which produced a set of 339 peer-reviewed articles for the 2014–2019 period. In this set, we analyzed the 290 records for which full data on co-authorship, WOS subject categories, organizations and funding were available. We used the subset of 290 publications with complete data to characterize the most studied topics in recent research related to hydropower, identify which WOS subject categories are represented, and measure how and where these subject

¹ The Amazon Dams Network is a transdisciplinary international network of researchers and various stakeholders studying hydropower development in the Amazon. It is named Amazon Dams Research Network in the US (ADN); Rede de Pesquisa em Barragens Amazônicas (RBA) in Brazil; and Red de Investigación en Represas Amazónicas (RIRA) in Amazonian Spanish-speaking countries. More information: www.amazondamsnetwork.org.

² The Web of Science (WOS), previously known as Web of Knowledge, is an online subscription-based scientific citation indexing service that provides a comprehensive citation search. The Web of Science Core Collection consists of six online databases: Science Citation Index; Social Sciences Citation Index. Arts and Humanities Citation Index; Emerging Sources Citation Index; Book Citation Index; and Conference Proceedings Citation Index. Additional databases available in WOS searches include SciELO Citation Index; BIOSIS Citation Index; MEDLINE®; CABI; and Zoological records. Website: https:// clarivate.com/products/web-of-science/ Source: Wikipedia: https://en. wikipedia.org/wiki/Web_of_Science, accessed May 25, 2019.

Figure 2



Number of publications related to Brazilian and Amazonian hydroelectric dams in Web of Science (WOS) for the 1973-2019 period.

categories appear together. Web of Science subject categories are rigorously developed and assigned to a journal and its articles based on: a) each journal's subject matter and scope; b) author and editorial board affiliations; c) funding agencies providing grant support; c) cited references as well as citing and cited references relationships; d) other considerations, such as journal's sponsorship and or a journal's categorization in other bibliographic databases. In network terms, there is a tie (co-occurrence) between two WOS categories if they appear together on the same publication. We grouped and analyzed the data using BibExcel to export the publication records from WOS and R (igraph package) to produce the cooccurrence network visualizations and analyzes.

The main limitations of the method and analyses conducted are the following: (a) although WOS includes the SciELO⁴ database, it does not capture relevant publications produced by academics in Brazil and in other Amazonian countries that are not indexed in SciELO; (b) although SciELO includes publications in other languages than English, translation issues and the ways in which articles and keywords are indexed may lead to exclusion of certain publications; (c) WOS only indexes scientific journals, and it does not capture important knowledge products in the form of books, reports, policy briefs and other formats, developed by civil society groups including local authors and communities, non-governmental organizations (NGOs), and indigenous peoples and organizations; and (d) while the search on all WOS databases produced an original set of 339 articles for the 2014-2019 period, including records from SciElo (17), BIOSIS (2), MED-LINE (1), CABI (25) and Zoological Record (4), data on author affiliations, funding sources and WOS subject categories were not fully available for 15% of those articles. Therefore, the co-occurrence network analysis uses the subset of 290 articles for which these data were available, while for the qualitative analysis and description of recent advances, gaps of knowledge and research directions, we used the full set of 339 articles.

Academic research on hydroelectric dams in the Brazilian Amazon

Figure 2 shows the distribution of publications per year in the WOS data, illustrating the growing scientific interest and output regarding hydroelectric development in Brazil and in the Amazonian region over the past twenty years. After 2000, there is sharp and continued growth in publications on hydropower in Brazil and in the Amazon, showing an acceleration in the last five years.


Our analysis of the WOS subject categories reveals the multidisciplinary nature of hydroelectric development research in the Brazilian Amazon. Of the approximately 252 subject categories in the WOS database, 56 appear in this dataset. A full list of the WOS categories in the diagram is provided in the Supplementary Materials (SM1).

An analysis of connections within and between disciplinary or thematic clusters in the co-occurrence network helps us

³ Source: https://clarivate.com/essays/evaluation-criteria-web-sciencecore-collection-journals/, accessed on June 10, 2019.

⁴ The SciELO - Scientific Electronic Library Online - is a bibliographic database, digital library, and cooperative electronic publishing model of open access journals. It was created to meet the scientific communication needs of developing countries and provides an efficient way to increase visibility and access to scientific literature. Originally established in Brazil in 1997, there are currently 14 countries in the SciELO network and its journal collections: Argentina, Bolivia, Brazil, Chile, Colombia, Costa Rica, Cuba, Mexico, Peru, Portugal, South Africa, Spain, Uruguay, and Venezuela. Website: https://www.scielo. org/en/. Source: Wikipedia: https://en.wikipedia.org/wiki/SciELO, accessed May 25, 2019.

Figure 3



Network of co-occurrences between WOS subject categories in publications on Brazilian Amazon hydroelectric dams for the 2014–2019 period. Nodes are WOS subject categories, links are co-occurrences. Black lines are links between nodes in the same Louvain cluster, red lines are links between nodes in different clusters. Node numeric IDs and corresponding categories are provided in the Supplementary Materials (SM1).

understand how researchers with different academic backgrounds tend to develop interdisciplinary teams in hydropower-related research (Figure 3). In Figure 3, nodes represent WOS subject categories and two categories are connected if they tend to appear together in the WOS description of the same publications on hydroelectric dams. Polygons around nodes show clusters of more densely connected categories as identified by the Louvain algorithm for network cluster detection.

Isolates or small clusters in the co-occurrence network reveal more peripheral and insular disciplinary areas, with limited connections to other disciplines in Brazilian Amazon hydropower research, such as Computer Science and Electrical Engineering, Tropical Medicine, and Animal Sciences. By contrast, central nodes in large and central clusters represent disciplinary fields that tend to connect with a higher number of other fields in multi- or interdisciplinary research efforts. As an example of such connections, the Water Resources category (55) emerges as a hub of connections between all major subject areas (i.e., clusters) in hydropower research, except for Energy and Fuels. The subjects of Ecology (13), Environmental Sciences (22), Green and Sustainable Science and Technology (30), and Energy and Fuels (16) also appear to be central and bridge to other peripheral or "satellite" fields. By detecting subject categories that span researchers from different disciplinary clusters, we can design strategies to create scientific bridges and facilitate communication and collaboration across disciplinary divides.

In addition to identifying the linkages between subject categories, our analysis also identifies some of the gaps that may be fertile ground to produce innovation and new knowledge in research on hydroelectric dams in the Brazilian Amazon. For example, in Figure 3 there is no connection between the Electrical Engineering/Computer Science cluster and the Water Resources cluster, a gap or "structural hole" that may represent an opportunity for novel collaborations and potential innovations [40]. Tropical Medicine is also an isolate cluster, which could be connected to Zoology and Health Sciences by new, interdisciplinary research. Table 1 lists the top ten subject categories in Brazilian hydroelectric dam-related publications that have the highest number of between-cluster ties in Figure 3, revealing a tendency for interdisciplinary research. While these categories do not always align exactly to traditional academic disciplines, they help us identify the types of cross-cutting bridging subjects of interest to people who are currently studying hydropower in Brazil.

Additional analyses of the network measured centrality⁵ of different subjects in the networks and captured the level of involvement, bridging, and influence of nodes

⁵ Degree centrality is a simple count of the links a node has in a network, capturing involvement, activity and potential influence. Betweenness centrality measures the extent to which a node sits on the shortest paths between other nodes, capturing bridging and brokerage between otherwise disconnected areas of the network [45].

Tab	Table 1								
•	Top ten Web of Science categories with ties to other Louvain groups								
ID	WOS category	In group ties	Out group ties						
22	Environmental sciences	5	7						
13	Ecology	5	4						
30	Green and sustainable science and technology	3	4						
55	Water resources	2	4						
16	Energy and fuels	2	4						
23	Environmental studies	10	3						
14	Economics	5	2						
38	Marine and freshwater biology	4	2						
6	Biodiversity conservation	2	1						
19	Environmental engineering	1	1						

[45]. The fields of Environmental Sciences (22), Water Resources (55), Marine and Freshwater Biology (38), Environmental Studies (23), Energy and Fuels (16), Ecology (13), Geosciences (29), Economics (14), Green and Sustainable Science and Technology (30), and Zoology (56) present high values of degree centrality (number of connections to other subjects), providing support for interdisciplinary communication and collaboration. The fields of Environmental Sciences (22), Water Resources (55), Marine and Freshwater Biology (38), Environmental Studies (23), Ecology (13), and Geosciences (29) show high values of betweenness centrality, a characteristic of nodes that create rare bridges between distant and otherwise unconnected fields. The interdisciplinary field of Green and Sustainable Science and Technology (30) provides an important connection between biophysical/ environmental and social sciences fields (Figure 4).

Recent advances and gaps of research on hydropower in the Brazilian Amazon

For the subset of 290 articles published between 2014-2019 focusing on hydropower in the Brazilian Amazon, Environmental Sciences occupies the leading position with 60 records, followed by Ecology (32), Energy and Fuels (30), Biodiversity Conservation (28), Multidisciplinary Sciences (28), Environmental Studies (26), Green Sustainable Science Technology (26), and Water Resources (22). In addition to the field of Environmental Studies, Social Sciences are also represented in Environmental Sciences and Multidisciplinary Sciences, as well as in Geography (19), Economics (11), Interdisciplinary Social Sciences (9), Law (7) and Development Studies (6) (see SM 4 for more details). Determining an exact fit for articles within the WOS categories can be difficult, since they often fall in more than one category, and there is a lack of clear criteria distinguishing some categories, especially for the more multi-disciplinary and/or interdisciplinary fields such as Environmental Sciences and Multidisciplinary Sciences. For example, Biodiversity Conservation is a highly ranked category, but can be assumed to be represented in other fields such as Ecology,


Fisheries, Marine and Freshwater Biology, and Environmental Sciences. Climate change also did not appear as a separate category, but an additional search reveals that 32 of the 290 records from WOS Core Collection mention or focus on climate change issues related to hydropower.

By compiling and synthesizing the recent literature from this 2014–2019 subset, we identified three main areas of interdisciplinary research that represent the current state of knowledge on hydropower and sustainability in the Brazilian Amazon: (a) Biophysical and social-ecological processes; (b) Energy and infrastructure; and (c) Governance and development (including social benefits and impacts of dams). Belo Monte dam in the Xingu has the highest number of publications (62), followed by Santo Antônio and/or Jirau dams in the Madeira river (38), Tapajós (14) and Tocantins dams (14). Below, we synthesize main advances and knowledge gaps drawing from the complete set of 339 publications for the 2014– 2019 timeframe, detailed on Table 2.

Biophysical and social-ecological processes

Water is arguably *the* defining physical characteristic of the Amazon basin. Water quantity and quality are integrators of the coupled natural and human processes that occur within the watershed [48], and both are directly and indirectly affected by hydropower [11°]. Dam construction [2°,49°], land use change [50,51], climate change [52,53**], and their interactions [12°] have all been shown to play major roles in altering riverine hydrology in the Amazon [54°], with cascading effects across social and ecological systems [55**]. For example, changes in riverine hydrology and connectivity alter patterns of floodplain forest inundation [56] and productivity [12°], interrupt fish migrations [3°,11°], reduce fisheries production [51], and modify catchment sediment transport [2°] and biogeochemistry [57-61] across vast spatiotemporal scales. While flow and sediment transport are well described via process-based watershed models [62], and several watershed models have been developed and applied to the Amazon basin [48,63] and subbasin scales [64–67], model application within the broader context of social, ecological, and climate change is less developed. This more comprehensive approach is crucial for: (1) developing relevant future scenarios; (2) testing conceptual models of system behavior; and (3) guiding adaptive management strategies [68–71]. For example, Stickler et al. [12°] and Mohor et al. [72] show how projected increases in deforestation and decreases in rainfall are likely to reduce electricity generation potential, exemplifying how interactions among hydropower, land use, and climate drive future system states. Additional work is needed to couple watershed-scale hydrological and sedimentological models with models of ecosystem functions and services to better predict hydropower impacts on ecological and social systems. These efforts are limited, however, by gaps in understanding about specific interactions among several biophysical processes (e.g. hydrology

Figure 4




Network of co-occurrences between WOS subject categories in Brazilian hydroelectric dam publications. (a) Categories sized by degree centrality. Larger size indicates more connections with other categories. (b) Categories sized by betweenness centrality. Larger size indicates categories that bridge distant and otherwise unconnected areas in the network. Red nodes are the categories with the highest values of degree and betweenness centrality.

and geomorphology, fish and fisheries, terrestrial ecosystem feedbacks, and climate change), which we aim to synthesize below and in Table 2.

Dam-induced changes in the physical and chemical regimes of rivers alter the diversity, composition, distribution and abundance of fish [10°,73,74], threatening one-third of the world's freshwater fish biodiversity [3°]. Changes in the seasonal flood pulse and river connectivity interrupt the migration, recruitment, and development of Amazonian fish species [10°,75], negatively impacting reproduction and reducing catches both upstream and downstream of dams [10°,75,76]. Transformations in

Amazonian fisheries have significant local, regional, and transnational socio-economic impacts [33°,76,77], which are also of critical cultural and economic importance for indigenous peoples and riverine communities [78]. While biological, functional [79] and trophic indicators [80] of fish diversity and abundance have been developed, a lack of long-term monitoring in the Amazon Basin makes identification of impacts and trade-offs during dam planning and licensing processes extremely difficult [33°,77]. Other major knowledge gaps include a limited understanding of flow-ecology relationships for the incredible diversity of Amazonian fish species [85] and inadequate guidance for hydropower and fish passage design that

Figure 5



(Box 1). Treemap graph showing the main funding agencies (with five or more records) for peer-reviewed publications on hydroelectric dams in the Brazilian Amazon, from a subset of 290 Web of Science publications, for the 2014-2019 period, Additional information available in Supplementary Materials # 3 (SM 3).

prevent fish mortality and injury [81] and which are relevant to the local setting and associated species [87].

Beyond the river, terrestrial ecosystem transformations associated with dams are poorly understood in the Amazon [9] and worldwide. It is well-established that dams cause direct deforestation via reservoir impoundment [82]. Dams, however, cause significant indirect forest loss and degradation through at least three pathways [55°]. First, land use change associated with dams causes deforestation and degradation of upland forests [83-87]. Second, dams alter river and floodplain hydrology, which changes the structure and function of riparian and floodplain forests [88–93]. Third, dam-associated infrastructure (e.g. transmission lines; [94**]) causes additional direct and indirect deforestation. Together, these daminduced terrestrial ecosystem impacts have cascading effects on biodiversity and ecosystem services [95], with evidence of wide-ranging impacts on birds [96–98], mammals [99], insects [100], and reptiles [101]. Current research tends to focus on a single dam, and there is a need to broaden this perspective to consider cumulative impacts, both from multiple dams and from interacting drivers. For example, indirect links between dams and deforestation may intensify synergies between forest loss and climate change, that alter fire dynamics and river flows across basins [12°,53°°,102]. Overall, the mechanisms by which dams impact forests, land-cover, and livelihoods (e.g. Bro et al. [103]) need to be better understood to predict, manage and mitigate these impacts.

Interactions among dams, water, fish, and terrestrial ecosystems are all affected by (and affect) the climate through biophysical drivers and feedbacks. Notably, tropical dams and reservoirs have been shown to emit significant amounts of greenhouse gases (GHGs) [104**]. While a considerable amount is known about GHG emissions from Amazonian dams [105], additional measurements are needed to reduce uncertainties and support better process-based emission models [60,61]. However, we argue that the most pressing need is the interpretation of existing information to advise policy, since changes in the methods for estimating GHG emissions are more likely to affect the magnitude of emissions attributed

Box 1 Organizations and Funding of Research on Hydropower in the Brazilian Amazon

The principal organizations of authors publishing peer-reviewed research on Amazonian hydropower in the last five years are Brazilian Universities, among which the National Institute for Amazonian Research (INPA) plays a leading role (49 records) followed by Federal Universities of: Pará (UFPA, 34); Rondônia (UNIR, 27); Rio de Janeiro (UFRJ. 27): Amazonas (UFAM. 19): Universidade de São Paulo (USP. 18); and ten other Brazilian Universities (see SM 2). Internationally, authors and co-authors of these publications are from the University of Florida (UF, 11), University of East Anglia (11), Institute de Recherche pour Le Development (IRD, 10), Centre National de la Recherche Scietifique (CNRS, 7), Michigan State University (MSU, 7) and Sorbonne Université (7), among others. Authors from Brazilian and international NGOs have also contributed for this topic, including the World Wildlife Fund (WWF), the Wildlife Conservation Society (WCS), the Conservation Strategy Fund (CSF), The Nature Conservancy (TNC) and the Instituto de Pesquisas da Amazônia (IPAM), among others.

Research funding has been provided mainly by Brazilian government research agencies, notably by the National Council for Scientific and Technological Development (CNPq), with 39.3% of the publication records, followed by the Coordination for the Improvement of Higher Education Personnel (CAPES, 22.1%), the São Paulo State Research Foundation (FAPESP, 7.2%), the Amazonas State Research Foundation (FAPEAM 6.6%) and INPA (5.5%) (Figure 5). Outside Brazil, the main funding agencies are the National Science Foundation (NSF) and the Natural Environment Research Council (NERC), with 4.5% and 3.8% of the records (additional details in SM 3). It is also worthy noting the contribution of the private sector, represented by the dam-building companies Santo Antônio Energia (3.8%, Santo Antônio dam in the Madeira river) and Norte Energia (2.1%, Belo Monte dam in the Xingu river). Two international NGOs with programs in Brazil also appeared among the top 20 funding organizations: the World Wildlife Fund (WWF, 2.4%) and the Wildlife Conservation Society (WCS, 2.1%).

Many CNPg and CAPES programs have supported the internationalization of science through initiatives such as the Science Without Borders Program, which was terminated during the presidential administration of Michel Temer. Brazilian science is to face a large budgetary cut under current president Jair Bolsonaro, who in April of 2019 announced that the budget of the Ministry of Science, Technology, Innovation and Communication would be cut in half, and CNPq scholarship programs would be cut as well.⁶ Our analyses show that Brazilian science and funding has been critical to advance research on Amazonian hydropower. Continued funding support is needed to address the risks and uncertainties that a changing climate and a changing Amazon are already experiencing given the fast-paced development of socio-economic activities and the advance of extractive and infrastructure frontiers [46.47].

to dams than additional measurements. For example, adopting a 20-year versus a 100-year time period when equating the warming potential of carbon dioxide and methane emissions would drastically alter assessments of the overall efficiency of dams as a renewable electricity source. We contend that the shorter timeframe is more relevant to the period when new and planned Amazon dams will emit large amounts of methane. Such emissions will

have outsized effects on global warming, which are projected to drive changes in precipitation and temperature regimes and negatively affect many biophysical processes [102,106].

Energy and infrastructure

Energy and infrastructure are important themes related to hydropower governance and Amazonian sustainability. Public policies and institutions related to hydroelectric development include, for instance, watershed management policies, electric sector reforms, environmental impact assessments, mitigation and monitoring policies and processes, economic and non-economic valuations, and decision-making instruments at different scales. There are gaps of knowledge and opportunities for improvement of licensing policies and social-environmental impact assessment instruments [14°,107–109]. One such a knowledge gap is a surprising paucity of research and publications about small dams across Brazilian and Amazonian watersheds [14°]. Incentives and policy regulations have contributed to a fivefold increase in the number of small dams in the last 20 years, with 87 currently operating and 256 inventoried in Brazilian Amazonian rivers [13**,110]. There is a need for research on the socio-economic costs and benefits of both large and small dams, including the cumulative impacts of cascades of dams on Amazonian river systems [14°]. The same is true for transmission lines, which licensing processes and impact evaluation have been conducted independently and not articulated with hydropower planning [94°°]. It is necessary to move from the project-toproject logic to adopt planning instruments such as the Strategic Environmental Assessment at regional and basinwide scales, as the Brazilian Federal Court of Auditors (TCU) recently recommended after assessing lessons learned from dam development in the Amazon [111].

Studies focusing on trade-offs between diverse energy generation options, as well as on future scenarios of energy production risks and costs under climate change are extremely important to inform infrastructure planning and climate change adaptation and mitigation investments [5,112°,113,114]. Lucena et al. [112°] found that climate change impacts can lead to higher emissions in the absence of climate mitigation policies, and that mitigation can lead to a lower total investment level.

Research conducted under the Energy and Fuels WOS theme has also focused on technological tools to aid in planning and reducing the economic risk of dependency on the hydro-thermal operating system in place in Brazil; comparison of pumped-storage versus conventional reservoir dams; as well as on energy efficiency; innovations and alternative energy generation sources contributing to diversify the energy generation mix [5,115–117].

Fewer research efforts and publications have focused on cost overruns and delays in the construction of mega

⁶ Brazil slashes funding to scientists. The planet may suffer: https:// www.nationalgeographic.com/environment/2019/04/brazil-cutsfunding-scientists-grad-students-environment-suffers/.

Table 2

Main advances and gaps for research on hydropower development in the Brazilian Amazon, organized by interdisciplinary topics from the literature review conducted for 339 publications obtained in the Web of Science for the 2014–2019 period

Interdisciplinary topic	Main themes	Advances	Gaps	Main WOS disciplinary categories	Reference numbers
Biophysical and social- ecological processes	Hydrology and geomorphology	- Existing dams significantly impact hydrologic regime across Brazilian Amazon - Lowland dams with large reservoirs cause highest hydrologic alteration, but small dams are increasing rapidly and cause large impacts per electricity production - Existing and planned Andean dams threaten connectivity with major impacts to fish, sediments, and nutrients - Dam vulnerability index developed to guide future hydropower	- Cumulative ecohydrological impacts of small and large dams on flow regime and sediment/nutrient transport - Coupling watershed models with climate change models and models of specific ecosystem structure, function, and services - Uncertainty about range of potential future climate impacts on spatiotemporal trends in river flow - Potential for dam design or sediment management techniques to mitigate trapping	Environmental sciences/studies, water resources, geosciences, meteorology and atmospheric sciences	[2°"] [10°"] [11°] [13°"] [49°"]
Biophysical and social- ecological processes	Fish and fisheries	- Freshwater fish diversity threatened by existing and planned dams globally - Andes-Amazon connectivity threatened by dams - Fisheries declines observed upstream and downstream of major dam projects - Major impacts of fisheries losses across economic, social, and cultural systems - Limited explanatory power of hydrological control on fisheries production	- Species and/or functional-group-specific flow-ecology relationships - Data scarcity, both on spatiotemporal availability of ichthyofauna data as well as socio-economic impacts on livelihoods of fishers and resettled communities, including through the lens of gender and intergenerational differences Fish passage technologies relevant to tropical species and reservoirs	Ecology, fisheries, biodiversity conservation	[3°] [10°] [33°] [76–79] [81]
Biophysical and social- ecological processes	Terrestrial ecosystem feedbacks	- Direct and indirect land use change occurs from reservoir inundation, deforestation, changes in riparian and floodplain forest hydrology, and energy-associated infrastructure - Transmission line impacts likely exceed reservoir impacts (by area) and are underacknowledged in dam planning and management - Coupled feedbacks between dams and deforestation may exacerbate connections between forest loss and climate, fire, and river flow	Research tends to focus on a single dam, need to consider cumulative impacts from other dams and drivers of change. Mechanisms by which dams indirectly impact forests, land-cover, and livelihoods need to be better understood to predict, manage and mitigate these impacts. Need to study-coupled impacts of land use change, climate change, and hydropower development on sediment production and transport	Environmental sciences/studies, geosciences, meteorology and atmospheric sciences, ecology	[12*] [48] [77,78] [82–87] [94**] [102]
Biophysical and social- ecological processes	Climate change	- Tropical reservoirs may be a major source of methane, exacerbating global warming - Selection of reference time frame is critical for calculating net warming potential of hydropower-based electricity production - Global climate projections project spatially variable changes in precipitation, evapotranspiration, and flow regimes, with most drying in the south and southeast - Climate change projected to increase flows and inundation in NW Amazon and decrease flows in the eastern Amazon	- Need for regional climate models that include feedbacks among hydropower development, deforestation, reservoir emissions, warming and precipitation regimes - Impacts of greenhouse gas emission calculations and uncertainty are not represented in policy - Methane flux from dam degassing and downstream fluxes are poorly constrained - Net lifecycle carbon accounting for tropical hydropower remains hotly debated in the literature and policy arenas	Environmental sciences/studies meteorology and atmospheric sciences multidisciplinary sciences energy and fuels ecology biodiversity conservation	[15] [102] [104**,105,106

Sustainability challenges

Interdisciplinary topic	Main themes	Advances	Gaps	Main WOS disciplinary categories	Reference numbers
Energy and infrastructure	Energy scenarios; alternatives and intersections with other infrastructure and power generation options; intersections between electricity generation and climate change; energy efficiency; technological tools; feasibility and siting of dams, critique of dams as clean energy; and public policies	- Opportunities to improve licensing processes and social-environmental impact assessment instruments - Paucity of research on small dams across the Amazon - Transmission lines are not integrated to hydropower planning - Climate change impacts can lead to higher emissions and higher cost in the absence of climate mitigation policies in hydropower planning - Investing in energy efficiency, innovations and alternative energy generation sources can contribute to lower dependency and risks of the thermo-hydro system - Estimates of cost overruns and delays in the construction of Jirau, Santo Antônio and Belo Monte dams totaled 91%, 64% and 70% above the initial budget	- Good practices in cumulative impact assessment at regional and basin-wide scales considering other infrastructure projects and relevant policies and programs - Developing tools to enhance access to data and information/public participation in decision-making - Integrated assessment evaluation and planning for small and large hydropower including transmission lines - Trade-offs between diverse energy choices and arrangements according to the perspective of different actors - Pluralistic valuation in environmental impact assessment - Integrated modelling of climate change, energy production from various sources, risks and costs - Investigating the cost of corruption for megaprojects - Investigating cost overruns and delays of projects	Environmental sciences, green sustainable science technology, environmental engineering and energy and fuels	[5] [13**,14*] [18] [94**] [111,112*] [117,118**,119 [167*]
Governance, development and social impacts of dams	Public health and sanitation, infectious diseases, psychology and water contamination, socio-economic and cultural impacts, distribution of costs and benefits, social movements, social conflicts, psychological impacts and symbolic losses, human rights, development-forced displacement and resettlement and public policies	 Dams contribute to trigger infectious diseases outbreaks, which risks and costs are not accounted for during planning and licensing of projects. Lack of data constrains the capacity to distinguish between positive and negative impacts, patterns, specificities and cumulative social impact processes at local, regional and basin-wide scales. Belo Monte and Madeira dams have led to social conflicts, judicialization, violation of human rights, gender-differentiated impacts, and destruction of indigenous peoples and local communities' livelihoods. Local communities do not have access to information produced by researchers and scientists. Indigenous and local knowledge are not considered in planning and decision-making of hydropower. Benefits of dams are realized at the national scale, while costs are felt in local and regional scales. Socio-economic benefits and negative impacts are complex and occur through multiple spatiotemporal scales and involve multiple dimensions 	- Identifying public policy gaps affecting basic sanitation, water resources and infectious diseases outbreaks in existing cases to inform planning. - Developing studies focusing on how different people (women, children, elderly, as well as diverse cultural groups) may be differently impacted by dams - Social impacts in general: difficulty defining who are 'affected' by dams, which has socio-economic, rights and justice implications - Studies are done at the project scale, but effects are systemic and cumulative - Understanding the interconnections between forced displacement and social-ecological processes upstream and downstream of dams - More integrated studies are needed, moving from a project by project to a regional, systemic scale	Tropical medicine, social sciences interdisciplinary, parasitology, environmental sciences and environmental studies, geography, economics, law and development studies	[30**] [34,35] [124] [129*,133] [143–145] [158–163]

infrastructure projects. Callegari et al. [118°°] estimated the probability distribution function of cost overruns and delays in the construction of Jirau, Santo Antônio and Belo Monte dams in the Brazilian Amazon, finding a cost overrun of respectively 91%, 64% and 70% more than the initial budget for all three cases. Considering the pros and cons of this technique, the authors suggest that policy makers should increase their budgets around 75% above the initial estimates to ensure within 50% certainty that their final costs will be within budget. According to these estimates and experiences from other parts of the world, the bigger the project, the higher the risk of cost overruns with greater exposure to macroeconomic risks [119], raising the question that if the numbers were higher as they should be, whether the dams would be economically justifiable.

Governance and development

Despite global efforts (e.g. World Commission of Dams report of 2000 [120]) directed to improve public participation, transparency and protection of human rights in hydropower planning and implementation, several problems still persist across the global north and south [30°°] in regard to governance, development and the social impacts of dams.

Kirchherr and Charles [121°] proposed a 'matrix framework' to guide scholarly research on the social impacts of dams, defining three main components: Infrastructure, Livelihood and Community, each one with subcomponents, and connected to the dimensions of space, time and value (positive or negative). The Infrastructure component can be compared to the 'Energy and Infrastructure' theme above. Aspects of the other components and subcomponents will be briefly approached here under the socio-economic and socio-cultural change and public health and sanitation topics. In this framework, we miss a rights/justice subcomponent under the Community component, as well as a Governance component, to include public participation and power in decisionmaking.

The definition of 'who is impacted' ('atingidos' in Portuguese) is crucial in the characterization of social impacts and compensation of hydropower development in the Amazon [122]. Despite similarities of socio-economic benefits and negative impacts of dams around the globe [121°], the Amazonian region has some specificities that need to be considered in both planning and decisionmaking (Figure 6). These are related to, for example, the huge social and cultural diversity present in the region, where indigenous ethnicities, Afro-descendant groups, riverine communities, urban populations, family farmers and others, share the region and its water and forest resources [123,33°].

In the recent cases of Belo Monte and Santo Antônio and Jirau dams, hydropower development has led to social conflicts [124-126], judicialization [35], violation of human rights [37,127,128], gender differentiated impacts and violence [128,129°], and destruction of indigenous and traditional communities' livelihoods and sacred sites [35,103,130–135]. Indigenous communities and social movements have formed alliances that strengthened resistance against these projects [135,136]. Several indigenous peoples and local communities have developed community consultation protocols in a process of self-regimenting the Indigenous and Tribal Peoples Convention, C169 of the International Labour Organization (of which Brazil is signatory), which determine the right to Free, Prior and Informed Consultation of indigenous peoples and traditional populations (in the case of Brazil) in relation to projects, policies or activities that may affect their livelihoods and/or territories [137– 139].

Often, local communities do not have access to scientific publications describing the system that they live in and that they understand from their own perspective [140,141]. For instance, fishers affected by the Madeira dams have asked ADN researchers to translate findings of their research in a way that they could understand [140]. On the other hand, indigenous and local knowledge (ILK) held by indigenous peoples and local communities who have a long-term experiential knowledge of Amazonian social-ecological systems are frequently disregarded in the process of planning and decision-making [33°,130,142].

Hydroelectric dams may affect human health in different ways, upstream and downstream, in both rural and urban settings. Dams can impact human health through changes in water quality, groundwater contamination [143], changes in access to sanitation and medical services due to the increased flow of people and workers to the dam sites [144,145], psychological impacts by loss of traditional livelihoods and displacement [133,146], changes in livelihood styles [30°,37,129°], food security and diets [33°,147], increased spread of infectious and sexually transmitted diseases [148,149], increased exposure to mercury and others [150]. We found a big gap in publications focusing on sexually transmitted diseases in the dataset compiled

⁷ In this paper we adopt the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services (IPBES) definition of Indigenous and traditional populations: 'Indigenous and local knowledge systems are understood to be dynamic bodies of integrated, holistic, social and ecological knowledge, practices and beliefs pertaining to the relationship of living beings, including people, with one another and with their environment. Indigenous and local knowledge is grounded in territory, is highly diverse and is continuously evolving through the interaction of experiences, innovations and different types of knowledge (written, oral, visual, tacit, practical, and scientific). Such knowledge can provide information, methods, theory and practice for sustainable ecosystem management. Indigenous and local knowledge systems have been, and continue to be, empirically tested, applied, contested and validated through different means in different contexts' [170].

Figure 6



Public hearing for the Belo Monte hydroelectric dam held in Altamira, Brazil, in 2009. Photo: Lalo de Almeida, courtesy.

from WOS, despite the expected increased risk of STDs associated with hydropower development.

Regarding socio-economic development, although the primary benefits of a hydroelectric plant are found at the national scale [151], it is at the local and regional scales that the main negative impacts of forced displacement and resettlement, deforestation of productive land, abrupt population increase, increased demand for infrastructure and services, loss of social cohesion, and impacts livelihoods and loss of income are felt [30°, 103, 119, 152–156]. Contrasting to this suite of potential negative impacts, dam builders and supporters defend the argument that hydroelectric plants promote improvements in the socio-economic conditions of the host localities [157,158]. This controversy has motivated the emergence of research aiming to elucidate if and how hydroelectric dams may be inducers or constrainers of local development.

For the Jirau, Santo Antônio and Belo Monte hydroelectric plants, Moran *et al.* [30**] found that promised jobs

practically disappeared in less than five years after construction. Studies carried out in other Brazilian regions show that temporary economic growth during the construction phase is frequently the main benefit associated with hydropower implementation in municipalities flooded by dams [158–161]. However, economic growth is generally not accompanied by or not correlated with improvements in other social development indicators such as social inequality, child labor, sanitary problems, fertility rate, and education [158,162].

Randell [163] conducted a longitudinal study of wealth and subjective well-being perception among communities displaced by the Belo Monte dam, finding that the majority of interviewed people reported increased wealth, particularly those that did not own land before dam construction, those who gained assets, and those who remained closer to the original study area. Nevertheless, the author recognizes the importance of collecting additional data after the completion of dam construction, as well as to include other affected social groups and populations in such studies.

In general, these studies show two convergences: that there is short-term economic growth followed by medium-term shrinkage (probably due to the large investments that occur during the construction phase); and that the results achieved are quite dependent on each study's context, making it hard to estimate standards that allow for an integrated view. Socio-economic impacts are complex, occur through multiple spatiotemporal scales [164,165] and involve multiple dimensions [121°,166].

Future directions and conclusions

The analysis of hydropower-related publications in the Brazilian Amazon illustrates a high degree of interdisciplinary research related to the subfields of environmental sciences, ecology and water resources, but indicates that research bridging these fields, especially the green and sustainable science and technology and the energy and fuels categories, provide opportunities for new integrative knowledge production. Further, we suggest that analyses of existing legal and policy frameworks and instruments might be used as points of departure to identify knowledge gaps, synthesize existing information, and provide policy-oriented solutions that can be implemented through social learning and management approaches [167°].

The map of institutions and funding organizations involved in research on hydropower in the Brazilian Amazon demonstrates the important leadership that Brazilian researchers and universities play in advancing research on this topic, as well as the fundamental support provided by the Brazilian funding agencies. It is critical to provide the necessary support for strengthening science education and research in Brazil, especially in Amazonian universities, which are well positioned to address the local challenges and risks associated with existing and planned hydropower projects. This can be further supported by enhancement of undergraduate and graduate programs providing students and faculty with opportunities for national and international mobility⁸, securing funding for scholarships, field research and equipment, and by partnering with national and international agencies and institutions.

To move towards more resilient and sustainable pathways for the Brazilian Amazon, future research on Amazonian hydropower might focus on deepening the understanding of:

a) The definition of direct and indirect impacts, who is impacted and what are the impacted areas by different hydropower projects. These debates and analyses should be addressed by research frameworks and

- licensing instruments, which may alleviate the mismatch between scientific findings, policy instruments, and the reality on the ground. This has also important implications for managing conflicts and legal processes around the definition of who will be compensated by dam-companies and the planning of displacement and resettlement programs.
- Temporal variation and magnitude of impacts on linked aquatic, terrestrial and social subsystems as well as understanding, mitigating, monitoring and compensating upstream and downstream impacts. This has important implications for designing and operating dams, duration of monitoring and mitigation programs, development of compensation programs, and understanding cumulative and synergistic impacts in watershed and regional planning.
- The distribution of costs and benefits of large and small dams across temporal and geopolitical scales, considering multiple valuation approaches, the diversity of stakeholders receiving the benefits and bearing the costs of these projects, as well as gender and intergenerational differences and implications.
- d) Geopolitical issues around transnational rivers and dams, which are relevant for the Amazon, the Mekong, the Congo and other transnational watersheds around the world. Flows of water, sediment, fish and other aquatic and terrestrial animal species, climate and often people are not restricted by political boundaries. Understanding these processes requires basin-wide efforts and long-term monitoring. In the policy arena, managing these systems involves promoting international and cross-sectorial dialogue and negotiations, enhanced public participation and transnational watershed independent committees to inform and influence decision-making on transnational rivers [2**].
- e) Assessment of cumulative impacts that embrace the perspective that the biological, social and economic impacts in a locality are product of the interaction of hydroelectric-triggered transformations with other existing projects and actions [121°,168,169]. In this perspective, the focus is no longer the hydroelectric project, but the local and regional social-ecological systems affected by multiple actions or projects (e.g. dams, roads, climate change, demographic change, etc.). To address cumulative impacts, understanding must involve the local and regional natural resource bases, the knowledge and input of indigenous and local communities, and the socio-economic and governance contexts that shape social-ecological systems.

The synthesis of recent academic production on hydropower development in the Brazilian Amazon presented in this article provides evidence of the unsustainable path created by large and small dams built in Amazonian rivers from a social, economic and environmental standpoints. As it is impossible to monetarily quantify many impacts,

⁸ Such as the 'Bionorte' program, the Pró-Amazônia Program, the PROCAD, the Science Without Borders, and others supported by CAPES: https://www.capes.gov.br/.

for example the loss of fish species due to interruption of migratory routes, or the symbolic loss of place-based livelihoods, it is not possible to fully calculate, mitigate and compensate important costs associated with the construction of large and small dams in the world's largest tropical system.

Finally, this synthesis identifies gaps in communication that exist within and between scientists, civil society and local communities, private sector and policy and decisionmakers. Efforts need to be directed to bridge these gaps through several strategies and tools. Social learning forums and opportunities could support dialogue and learning from previous experiences of dam implementation, moving away from the project scale to embrace regional and basin-wide strategic research and planning approaches.

Funding

This work was supported by the Brazilian Agency CAPES (Coordination for the Improvement of Higher Education Personnel), through the Proamazônia Program (Project No.: 021/2012); the PGCI/CAPES – International Cooperation Program (Project No.: 038/2013); and the Science Without Borders/PVE Project (Process No. 88881.064958/2014-01). We also acknowledge the support provided by the 2013– 2015 Research Opportunity Seed Fund Award of the University of Florida Office of Research, and by the National Science Foundation (NSF) to the Amazon Dams Research Network/Rede de Pesquisa em Barragens Amazônicas/Red de Investigación sobre Represas Amazónicas (ADN/RBA/ RIRA) under Grant No. 1617413. Any opinions, finding, and conclusions or recommendations expressed in this material are those of the authors and do not necessarily reflect the views of the Brazilian funding agencies, University of Florida and National Science Foundation.

Conflicts of interest statement

Nothing declared.

Acknowledgements

We would like to thank many colleagues and students who provided support and inputs to the process informing this article. Among them, special thanks to Emilio Moran (MSU), Marianne Schmink (UF), Robert Buschbacher (UF), Fernando Prado (Sinerconsult), Artur Moret (UNIR), Dernival V. Ramos Júnior (UFT), Maria Alice L. Lima (UNIR), Ellen Amaral (UFT), Neiva C. Araújo (UNIR), Marliz Arteaga (UF), Kelsie Timpe (UF), Randy Crones (UF), Denis R. Valle (UF), Elizabeth Anderson (Florida International University - FIU) and Kathleen McKee (independent consultant). We are thankful for the institutional support provided to the ADN-related research and networking events, in special to the Graduate Program in Environmental Sciences of the Federal University of Tocantins (PGCiamb/UFT); the Graduate Program in Environment and Regional Development of the Federal University of Rondônia (PGDRA/ UNIR); and the Graduate Program in Environmental Sciences of the University of São Paulo (PROCAM/USP). We also thank the Tropical Conservation and Development Program (TCD) and the Center for Latin American Studies at University of Florida (UF) for the support. Any use of trade, product, or firm names is for descriptive purposes only and does not imply endorsement by the U.S. Government.

Appendix A. Supplementary data

Supplementary material related to this article can be found, in the online version, at doi:https://doi.org/10. 1016/j.cosust.2019.06.004.

References and recommended reading

Papers of particular interest, published within the period of review, have been highlighted as:

- · of special interest
- of outstanding interest
- Castello L, Mcgrath DG, Hess LL, Coe MT, Lefebvre PA, Petry P, Macedo MN, Renó VF, Arantes CC: The vulnerability of Amazon freshwater ecosystems. Conserv Lett 2013, 6:217-229.
- Latrubesse EM, Arima EY, Dunne T, Park E, Baker VR, D'Horta FM,
- Wight C, Wittmann F, Zuanon J, Baker PA et al.: Damming the rivers of the Amazon basin. Nature 2017, 546.

Introduces a Dam Environmental Vulnerability Index to quantify the current and potential impacts of dams across Amazonian subbasins and suggests multinational collaboration and changes to institutional structures to prevent further hydrophysical and biotic disturbances.

- Winemiller KO, McIntyre PB, Castello L, Fluet-Chouinard E, Giarrizzo T, Nam S, Baird IG, Darwall W, Lujan NK, Harrison I et al.: Balancing hydropower and biodiversity in the Amazon, Congo, and Mekong. Science (80-) 2016, 351:128-129.

Synthesizes the vast and far-reaching effects of existing and planned dams on fish biodiversity in the worls major tropical river basins. Suggests improved dam evaluation and siting approaches that consider basin scale planning, spatial biodiversity data, and the account for cumulative effects and climate change.

- Morton DC, DeFries RS, Shimabukuro YE, Anderson LO, Arai E, del Bon Espirito-Santo F, Freitas R, Morisette J: Cropland expansion changes deforestation dynamics in the southern Brazilian Amazon. Proc Natl Acad Sci U S A 2006, 103:14637-
- Prado FA Jr, Athayde S, Mossa J, Bohlman S, Leite F, Oliver-Smith A, Prado F, Athayde S, Mossa J, Bohlman S et al.: How much is enough? An integrated examination of energy security, economic growth and climate change related to hydropower expansion in Brazil. Renew Sustain Energy Rev 2016. **53**:1132-1136.
- Moretto EM, Gomes CS, Roquetti DR, Jordão C de O: Histórico, tendências e perspectivas no planejamento espacial de usinas hidrelétricas brasileiras: a antiga e atual fronteira Amazônica. Ambient Soc 2012, 15:141-164.
- EPE E de PE, Empresa de Pesquisa Energética: Plano Decenal de Expansão de Energia 2026. Ministério de Minas e Energia. Empresa de Pesquisa Energética; 2017.
- Killeen TJ: A Perfect Storm in the Amazon Wilderness: Development and Conservation in the Context of the Initiative for the Integration of the Regional Infrastructure of South America (IIRSA), 2007.
- Finer M, Jenkins CNC, Dynesius M, Nilsson C, Vörösmarty C, McIntyre P, Gessner M, Dudgeon D, Prusevich A, Nilsson C et al.: Proliferation of hydroelectric dams in the Andean Amazon and implications for Andes-Amazon connectivity. PLoS One 2012,
- 10. Anderson EP, Jenkins CN, Heilpern S, Maldonado-Ocampo JA,
- Carvaial-Valleios FM, Encalada AC, Rivadeneira JF, Hidalgo M, Cañas CM, Ortega H et al.: Fragmentation of Andes-to-Amazon connectivity by hydropower dams. Sci Adv 2018, 4.

Quantifies the cumulative effects of 142 existing dams and 160 proposed dams on riverine connectivity from the Andes to the Amazon, with major implications for fish migrations and biodiversity and sediment delivery/ transport.

- 11. Forsberg BR, Melack JM, Dunne T, Barthem RB, Goulding M, Paiva RCD, Sorribas MV, Silva UL, Weisser S: The potential
- impact of new Andean dams on Amazon fluvial ecosystems. PLoS One 2017, 12.

Quantifies the sediment-trapping and nutrient-trapping potential of planned Andean dams, which have the potential to remove 64, 51 and 23% of sediments, phosphorus and nitrogen from Amazon basin, respectively.

Stickler CM, Coe MT, Costa MH, Nepstad DC, McGrath DG, Dias LCP, Rodrigues HO, Soares-Filho BS: **Dependence of** hydropower energy generation on forests in the Amazon Basin at local and regional scales. Proc Natl Acad Sci U S A 2013, 110:9601-9606

Estimates how forest loss can reduce river discharge by evapotranspiration and by inhibiting rainfall under various scenarios, affecting the electricity production output for the Belo Monte dam.

- Couto TB, Olden JD: Global proliferation of small hydropower plants - science and policy. Front Ecol Environ 2018, 16:91-100. Provides evidence for lack of scientifically informed oversight of small hydroelectric dam development, as well as highlight the limitations of the capacity-based regulations currently in use.
- Athayde S, Duarte CG, Gallardo ALCF, Moretto EM, Sangoi LA, Dibo APA, Siqueira-Gay J, Sánchez LE: Improving policies and instruments to address cumulative impacts of small hydropower in the Amazon. Energy Policy 2019, 132:265-271 Discusses the need to improve policies and instruments for cumulative impact assessment of small hydropower plants in the Amazon, focusing on a planned cascade of small dams in the Cupari subbasin of the Tapaios river.
- 15. Fearnside PM: Tropical dams: to build or not to build? Science (80-) 2016, 351.
- Soito JLDS, Freitas MAV: Amazon and the expansion of hydropower in Brazil: vulnerability, impacts and possibilities for adaptation to global climate change. Renew Sustain Energy Rev 2011. 15:3165-3177.
- 17. de Sousa Júnior WC, Reid J: Uncertainties in Amazon hydropower development: risk scenarios and environmental issues around the Belo Monte dam. Water Altern 2010, 3:249-
- 18. Gallardo ALCF, Da Silva JC, Gaudereto GL, Sozinho DWF: A avaliação de impactos cumulativos no planejamento ambiental de hidrelétricas na bacia do rio Teles Pires (região amazônica). Desenvolv e Meio Ambient 2017, 43.
- 19. Melis TS, Walters CJ, Korman J: Surprise and opportunity for learning in Grand Canyon: the Glen Canyon Dam adaptive management program. Ecol Soc 2015, 20 art22
- 20. Kates RW, Clark WC, Corell R, Hall JM, Jaeger CC, Lowe I, McCarthy JJ, Schellnhuber HJ, Bolin B, Dickson NM et al.: Sustainability science. Science 2001, 292:641-642.
- 21. Bond A, Morrison-Saunders A, Gunn JAE, Pope J, Retief F: Managing uncertainty, ambiguity and ignorance in impact assessment by embedding evolutionary resilience, participatory modelling and adaptive management. J Environ Manage 2015, 151.
- 22. Bond A, Morrison-Saunders A, Pope J: Sustainability assessment: the state of the art. Impact Assess Proj Apprais
- 23. Martens P: Sustainability: science or fiction? Sustain Sci Pract Policy 2006, 2:36-41.
- 24. Ostrom E: A general framework for analyzing sustainability of social-ecological systems. Sci New Ser 2009, 325:419-422.
- 25. Hodgson GM: What are institutions? J Econ Issues 2006, XL:1-
- Armitage DR, Plummer R, Berkes F, Arthur RI, Charles AT, Davidson-Hunt IJ, Diduck AP, Doubleday NC, Johnson DS, Marschke M et al.: Adaptive co-management for socialecological complexity. Front Ecol Environ 2009, 7:95-102.
- 27. Agrawal A, Chhatre A: Against mono-consequentialism: multiple outcomes and their drivers in social-ecological systems. Glob Environ Change 2011, 21:1-3.
- 28. Westgate MJ, Likens GE, Lindenmayer DB: Adaptive management of biological systems: a review. Biol Conserv 2013, **158**:128-139.

- 29. Alarcon DF, Millikan B, Torres M: Ocekadi: hidrelétricas, conflitos socioambientais e resistência na Bacia do Tapajós. International
- 30. Moran EF, Lopez MC, Moore N, Müller N, Hyndman DW, Mueller N, Hyndman DW, Müller N, Hyndman DW: Sustainable hydropower in the 21st century. Proc Natl Acad Sci U S A 2018, 115:11891-11898

Studies the proliferation of large dams in developing countries, evidencing the overestimation of benefits and underestimation of costs and proposing changes needed to address the legitimate social and environmental concerns of people living in areas where dams are planned.

- 31. McCormick S: The governance of hydro-electric dams in Brazil. J Lat Am Stud 2007, 39:227.
- 32. Duarte CG, Dibo APA, Siqueira-Gay J, Sánchez LE: Practitioners' perceptions of the Brazilian environmental impact assessment system: results from a survey. Impact Assess Proj Apprais 2017, 35:293-309.
- Doria CRC, Athayde S, Marques EE, Lima MAL, Dutka-Gianelli J, Ruffino ML, Kaplan D, Freitas CEC, Isaac VN: The invisibility of fisheries in the process of hydropower development across the Amazon. Ambio 2018, 47:435-465.

Critically reviews the Brazilian environmental licensing process in relation to fisheries and dams, highlighting five core issues: transparency and independence, data limitations, stakeholder participation, fishers' organization and representation, and government structure and capacity.

- 34. Zhouri A, Oliveira R: Desenvolvimento, conflitos sociais e violência no Brasil rural: o caso das usinas hidrelétricas. Ambient Soc 2007, 10:119-135.
- 35. Scabin FS, Pedroso Junior NN, Cruz JC da C: Judicialização de grandes empreendimentos no Brasil: uma visão sobre os impactos da instalação de usinas hidrelétricas em populações locais na Amazônia. R Pos Ci Soc 2014, 11:130-150.
- 36. Hall SM: Energy justice and ethical consumption: comparison, synthesis and lesson drawing. Local Environ 2013, 18.
- 37. Jaichand V, Sampaio AA: Dam and be damned: the adverse impacts of Belo Monte on indigenous peoples in Brazil. Hum Rights Q 2013, 35:408-447.
- 38. Wuchty S, Jones BF, Uzzi B: The increasing dominance of teams in production of knowledge. Science 2007, 316:1036-
- 39. Bettencourt LMA, Kaiser DI, Kaur J: Scientific discovery and topological transitions in collaboration networks. J Informetr 2009. **3**:210-221.
- 40. Perianes-Rodríguez A, Olmeda-Gómez C, Moya-Anegón F: Detecting, identifying and visualizing research groups in coauthorship networks. Scientometrics 2010, 82:307-319.
- 41. Leone Sciabolazza V. Vacca R. Kennelly Okraku T. McCarty C: Detecting and analyzing research communities in longitudinal scientific networks. *PLoS One* 2017, **12**:e0182516.
- 42. Gonzalez-Brambila CN, Veloso FM, Krackhardt D: The impact of network embeddedness on research output. Res Policy 2013, **42**:1555-1567.
- 43. Newman MEJ: The structure of scientific collaboration networks. Proc Natl Acad Sci U S A 2001, 98:404-409.
- 44. Blondel VD, Guillaume J-L, Lambiotte R, Lefebvre E: Fast unfolding of communities in large networks. J Stat Mech Theory Exp 2008, 2008 P10008.
- 45. Freeman LC: Centrality in social networks conceptual clarification. Soc Netw 1978, 1:215-239.
- 46. Nobre CA, Sampaio G, Borma LS, Castilla-Rubio JC, Silva JS, Cardoso M: Land-use and climate change risks in the Amazon and the need of a novel sustainable development paradigm. Proc Natl Acad Sci U S A 2016, 113:10759-10768.
- 47. Moran FF: Roads and dams: infrastructure-driven transformations in the Amazon. Ambient Soc 2016, 19:207-220.
- Coe MT, Costa MH, Soares Filho BS: The influence of historical and potential future deforestation on the stream flow of the

Amazon River - land surface processes and atmospheric feedbacks. J Hydrol 2009, 369:165-174.

49. Timpe K, Kaplan D: **The changing hydrology of a dammed**•• Amazon. Sci Adv 2017, **3**:e1700611.

Synthesizes dam-induced hydrologic alteration across the Brazilian Amazon for the first time. The authors found the largest changes to the flood pulse for low-elevation, large-reservoir dams, but the impacts of small were extremely large relative to electricity production.

- 50. Germer S, Neill C, Krusche AV, Elsenbeer H: Influence of landuse change on near-surface hydrological processes: undisturbed forest to pasture. J Hydrol 2010, 380:473-480.
- 51. Dos Santos V. Laurent F. Abe C. Messner F. Dos Santos V. Laurent F, Abe C, Messner F: **Hydrologic response to land use** change in a large basin in Eastern Amazon. Water 2018, 10:429.
- Sorribas MV, Paiva RCD, Melack JM, Bravo JM, Jones C, Carvalho L, Beighley E, Forsberg B, Costa MH: **Projections of** climate change effects on discharge and inundation in the Amazon basin. Clim Change 2016, 136:555-570.
- 53. Guimberteau M, Ciais P, Pablo Boisier J, Paula Dutra Aguiar A, Biemans H, De Deurwaerder H, Galbraith D, Kruijt B, Langerwisch F, Poveda G et al.: Impacts of future deforestation and climate change on the hydrology of the Amazon Basin: a multi-model analysis with a new set of land-cover change scenarios. Hydrol Earth Syst Sci 2017, 21.

Investigates interactions between climate and land-use change impacts on Amazonian surface hydrology, highlighting differences in responses across the basin and quantifying major uncertainties.

Pokhrel Y, Burbano M, Roush J, Kang H, Sridhar V, Hyndman D, Pokhrel Y, Burbano M, Roush J, Kang H et al.: A review of the integrated effects of changing climate, land use, and dams on Mekong river hydrology. Water 2018, 10:266.
Reviews the literature on ecological and hydrological changes expected

from changes in climate, land use, and dam construction. Emphasizes the Water, Energy, and Food (WEF) nexus as a framework for future integrative research.

- 55. Rufin P, Gollnow F, Müller D, Hostert P: Synthesizing dam-
- induced land system change. Ambio 2019:1-12 http://dx.doi. org/10.1007/s13280-018-01144-z.

Synthesizes 178 observations of direct and indirect land-system change due to dam development. The authors identified significant effects of reservoir flooding (29%), but also important indirect effects to societal and environmental systems.

- de Resende AF, Schöngart J, Streher AS, Ferreira-Ferreira J, Pieda de MTF, Silva TSF: Massive tree mortality from flood pulse disturbances in Amazonian floodplain forests: the collateral effects of hydropower production. Sci Total Environ 2019, **659**:587-598
- 57. Pang M, Zhang L, Bahaj AS, Xu K, Hao Y, Wang C: Small hydropower development in Tibet: insight from a survey in Nagqu Prefecture. Renew Sustain Energy Rev 2018, 81:3032-
- Arrifano GPF, Martín-Doimeadios RCR, Jiménez-Moreno M, Ramírez-Mateos V, da Silva NFS, Souza-Monteiro JR, Augusto-Oliveira M, Paraense RSO, Macchi BM, do Nascimento JLM et al.: Large-scale projects in the amazon and human exposure to mercury: the case-study of the Tucuruí Dam. Ecotoxicol Environ Saf 2018, 147:299-305.
- 59. Pestana IA, Azevedo LS, Bastos WR, Magalhães de Souza CM: The impact of hydroelectric dams on mercury dynamics in South America: a review. Chemosphere 2019, 219:546-556.
- 60. Paranaíba JR, Barros N, Mendonça R, Linkhorst A, Isidorova A, Roland F, Almeida RM, Sobek S: Spatially resolved measurements of CO₂ and CH₄ concentration and gasexchange velocity highly influence carbon-emission estimates of reservoirs. Environ Sci Technol 2018, 52:607-615.
- 61. Almeida RM, Barros N, Cole JJ, Tranvik L, Roland F: Emissions from Amazonian dams. Nat Clim Change 2013, 3:1005.
- Daniel EB: Watershed modeling and its applications: a stateof-the-art review. Open Hydrol J 2011, 5:26-50.
- de Paiva RCD, Buarque DC, Collischonn W, Bonnet M-P Frappart F, Calmant S, Bulhões Mendes CA: Large-scale

- hydrologic and hydrodynamic modeling of the Amazon River basin. Water Resour Res 2013, 49:1226-1243.
- 64. Neto AR, Collischonn W, Vieira RC, Silva DA, Tucci CEM: Hydrological Modelling in Amazonia-Use of The MGB-IPH Model And Alternative Databases. IAHS Publ.; 2005.
- 65. Tucci C, Marengo J, Silva Dias P, Collischonn W, Silva B, Clarke R, Cardoso A, Negrón-Juárez R, Sampaio G, Chou SC: Streamflow Forecasting in São Francisco River Basin Based in the Climatic Forecasting. 2005.
- 66. Siqueira Junior JL, Tomasella J, Rodriguez DA, Júnior JLS, Tomasella J, Rodriguez DA: Impacts of future climatic and land cover changes on the hydrological regime of the Madeira River basin. Clim Change 2015, 129:117-129.
- 67. Collischonn W, Allasia D, da Silva BC, Tucci CEM: The MGB-IPH model for large-scale rainfall-runoff modelling. Hydrol Sci J 2007, 52:878-895.
- 68. Di Baldassarre G, Viglione A, Carr G, Kuil L, Yan K, Brandimarte L, Blöschl G: Debates - perspectives on socio-hydrology: capturing feedbacks between physical and social processes. Water Resour Res 2015, 51:4770-4781.
- 69. Troy TJ, Pavao-Zuckerman M, Evans TP: Debates-perspectives on socio-hydrology: Socio-hydrologic modeling: tradeoffs, hypothesis testing, and validation. Water Resour Res 2015, **51**:4806-4814.
- 70. Costanza R, Voinov A, Boumans R, Maxwell T, Villa F, Wainger L, Voinov H: Integrated ecological economic modeling of the Patuxent River Watershed, Maryland. Ecol Monogr 2002, 72:203.
- 71. Boumans R, Roman J, Altman I, Kaufman L: The Multiscale Integrated Model of Ecosystem Services (MIMES): simulating the interactions of coupled human and natural systems. Ecosyst Serv 2015, 12:30-41.
- 72. Mohor GS, Rodriguez DA, Tomasella J, Siqueira Júnior JL: Exploratory analyses for the assessment of climate change impacts on the energy production in an Amazon run-of-river hydropower plant. J Hydrol Reg Stud 2015, 4:41-59.
- 73. Bonner TH, Wilde GR: Changes in the Canadian river fish assemblage associated with reservoir construction. J Freshw Ecol 2000, 15:189-198.
- 74. Rodríguez Ruiz A: Fish species composition before and after construction of a reservoir on the Guadalete River (SW Spain). Fundam Appl Limnol 1998, 142:353-369.
- 75. Lima MAL, Kaplan DA, Doria CRC: Hydrological controls of fisheries production in a major Amazonian tributary. Ecohydrology 2017, 10:e1899.
- 76. Van Damme P, Córdova-Clavijo L, Baigún C, Hauser M, Doria CRC, Duponchelle F: Upstream dam impacts on goliath catfish (*Brachyplatystoma rousseauxii*) populations in the Bolivian Amazon. *Neotrop Ichthyol* 2019. [In press].
- 77. Santos RE, Pinto-Coelho RM, Fonseca R, Simões NR, Zanchi FB: The decline of fisheries on the Madeira River, Brazil: the high cost of the hydroelectric dams in the Amazon Basin. Fish Manag Ecol 2018, 25:380-391.
- 78. Isaac VJ, Almeida MC, Giarrizzo T, Deus CP, Vale R, Klein G, Begossi A: Food consumption as an indicator of the conservation of natural resources in riverine communities of the Brazilian Amazon. An Acad Bras Ciênc 2015, 87:2229-2242.
- 79. Pinto MDS, Doria CRC, Marques EE: Alterações temporais sobre a estrutura funcional das assembleias de peixes durante onze anos de formação de um reservato'rio do me'dio rio Tocantins, Brasil. Biota Amaz 2019, 9.
- 80. Melo T, Torrente-Vilara G, Röpke CP: Flipped reducetarianism: a vegan fish subordinated to carnivory by suppression of the flooded forest in the Amazon. For Ecol Manage 2019, 435:138-
- 81. Carvalho A, Marques E: Mitigação de injúrias e mortandade de peixes em turbinas e vertedouros de hidrelétricas: metasíntese de pesquisas científicas publicadas em periódicos Rev Cereus 2018, 10:45-67.

- 82. Cochrane SMV, Matricardi EAT, Numata I, Lefebvre PA: Landsatbased analysis of mega dam flooding impacts in the Amazon compared to associated environmental impact assessments: upper Madeira River example 2006-2015. Remote Sens Appl Soc Environ 2017, 7:1-8.
- 83. Silva Junior OM, Dos Santos MA, Dos Santos LS: Spatiotemporal patterns of deforestation in response to the building of the Belo Monte hydroelectric plant in the Amazon Basin. Interciencia 2018, 43:80-84
- 84. Jiang X, Lu D, Moran E, Calvi MFMF, Dutra LV, Li G: Examining impacts of the Belo Monte hydroelectric dam construction on land-cover changes using multitemporal Landsat imagery. Appl Geogr 2018, 97:35-47.
- Montoya ADV, Lima AMM, Adami M: Mapping and temporary analysis of the landscape in the Tucuruí-PA reservoir surroundings. Anuário do Inst Geociências - UFRJ 2018, 41:553-567
- 86. Chen G, Powers RP, de Carvalho LMT, Mora B: Spatiotemporal patterns of tropical deforestation and forest degradation in response to the operation of the Tucuruí hydroelectric dam in the Amazon basin. Appl Geogr 2015, 63.
- 87. Barreto P, Brandão Junior A, Baima S, Souza C: O risco de desmatamento associado a doze hidrelétricas na Amazônia. 2014:149-175.
- 88. Jones IL, Peres CA, Benchimol MM, Bunnefeld L, Dent DH: Instability of insular tree communities in an Amazonian megadam is driven by impaired recruitment and altered species composition. J Appl Ecol 2019, 56:779-791.
- Rocha Duarte Neves J, Fernandez Piedade MT, Faria de Resende A, Oliveira Feitosa Y, Schöngart J: Impact of climatic and hydrological disturbances on blackwater floodplain forests in Central Amazonia. Biotropica 2019, 51:484-489.
- Guilherme de Sousa L, Wittmann F, Fernandez Piedade MT: Response of black-water floodplain (igapo) forests to flood pulse regulation in a dammed Amazonian river. For Ecol Manage 2019, 434:110-118.
- 91. Assahira C, de Resende AF, Trumbore SE, Wittmann F, Cintra BBL, Batista ES, Piedade MTF, Trumbore SE, Wittmann F, Cintra BBL et al.: Tree mortality of a flood-adapted species in response of hydrographic changes caused by an Amazonian river dam. For Ecol Manage 2017, 396:113-123.
- 92. Benchimol M, Peres CA: Edge-mediated compositional and functional decay of tree assemblages in Amazonian forest islands after 26 years of isolation. J Ecol 2015, 103:408-420.
- 93. de Resende AF, Schongart J, Streher AS, Ferreira-Ferreira J, Fernandez Piedade MT, Freire Silva TS, de Resende AF, Schöngart J, Streher AS, Ferreira-Ferreira J et al.: Massive tree mortality from flood pulse disturbances in Amazonian floodplain forests: the collateral effects of hydropower production. Sci Total Environ 2019, 659:587-598
- 94. Hyde JL, Bohlman SA, Valle D: Transmission lines are an underacknowledged conservation threat to the Brazilian Amazon. Biol Conserv 2018, 228:343-356.

Synthesizes the spatial scale of impacts of transmission lines the in Amazon, quantifying nearly 40 000 km of transmission and distribution lines and impacted area twice the size of flooded reservoirs.

- Lees AC, Peres CA, Fearnside PM, Schneider M, Zuanon JAS: Hydropower and the future of Amazonian biodiversity. Biodivers Conserv 2016, 25:451-466.
- 96. Bueno AS, Dantas SM, Pinto Henriques LM, Peres CA Henriques LMP, Peres CA: Ecological traits modulate bird species responses to forest fragmentation in an Amazonian anthropogenic archipelago. Divers Distrib 2018, 24:387-402.
- 97. Aurelio-Silva M, Anciaes M, Pinto Henriques LM, Benchimol MM, Peres CA, Aurélio-Silva M, Anciāes M, Henriques LMP, Benchimol MM, Peres CA: Patterns of local extinction in an Amazonian archipelagic avifauna following 25 years of insularization. Biol Conserv 2016, 199:101-109.

- 98. Benchimol M, Peres CA: Predicting local extinctions of Amazonian vertebrates in forest islands created by a mega dam. Biol Conserv 2015, 187.
- 99. Palmeirim AF, Benchimol MM, Vieira MVV, Peres CA: Small mammal responses to Amazonian forest islands are modulated by their forest dependence. Oecologia 2018, **187**·191-204
- 100. Storck-Tonon D, Peres CA: Forest patch isolation drives local extinctions of Amazonian orchid bees in a 26 years old archipelago. Biol Conserv 2017, 214:270-277.
- 101. Palmeirim AF, Vieira MVV, Peres CA: Non-random lizard extinctions in land-bridge Amazonian forest islands after 28 years of isolation. Biol Conserv 2017, 214:55-65.
- 102. Nepstad DC, Stickler CM, Filho BS, Merry F: Interactions among Amazon land use, forests and climate: prospects for a nearterm forest tipping point. Philos Trans R Soc B Biol Sci 2008, **363**:1737-1746.
- 103. Bro AS, Moran E, Calvi MF: Market participation in the age of big dams; the Belo Monte Hydroelectric Dam and its impact on rural agrarian households. Sustainability 2018, 10.
- 104. Fearnside PM: Emissions from tropical hydropower and the IPCC. Environ Sci Policy 2015, 50.

Discusses how GHG emissions (especially methane) from tropical hydropower plants in the long term are contradictory to Paris climate

- 105. Fearnside PM: Greenhouse gas emissions from hydroelectric dams in tropical forests. In Alternative Energy and Shale Gas Encyclopedia. Edited by Lehr J, Keeley J. John Wiley & Sons Publishers; 2016:428-438.
- 106. Nobre CA, Sampaio G, Borma LS, Castilla-Rubio JC, Silva JSJS, Cardoso M, Davidson EA, Dolman J: Land-use and climate change risks in the Amazon and the need of a novel sustainable development paradigm. PNAS 2016, 113:10759-
- 107. Fonseca A, Sánchez LE, Ribeiro JCJ: Reforming EIA systems: a critical review of proposals in Brazil. Environ Impact Assess Rev 2017, 62:90-97.
- 108. Duarte CG, Dibo APA, Sánchez LE: What does the academic research say about impact assessment and environmental licensing in Brazil? Ambient Soc 2017, 20.
- 109. Mazzei CA, Marangoni TT, de Oliveira JN: Quantitative analysis of environmental impact assessments of hydroelectric power plants on the IBAMA database and evaluation of the hydrological parameters used. Eng Sanit E Ambient 2018, 23:425-429.
- 110. ANEEL: Sistema de Informações Georreferenciadas do Setor Elétrico - SIGEL. 2019.
- 111. TCU Tribunal de Contas da Uniao: Acórdão 2.723/2017.
- 112. Lucena AFP, Hejazi M, Vasquez-Arroyo E, Turner S, Koberle AC,
 Daenzer K, Rochedo PRR, Kober T, Cai Y, Beach RH et al.:
 Interactions between climate change mitigation and adaptation: the case of hydropower in Brazil. Energy 2018, **164**:1161-1177.

Shows that climate change impacts can lead to higher emissions in the absence of climate change mitigation policies in hydropower planning and operation. Mitigation efforts could yield a more diverse and less carbon intensive mix of technological options for adaptation.

- 113. de Souza Dias V, Pereira da Luz M, Medero GM, Tarley Ferreira Nascimento D, de Souza Dias V, Pereira da Luz M, Medero GM, Tarley Ferreira Nascimento D, de Souza Dias V, da Luz MP et al.: An Overview of Hydropower Reservoirs in Brazil: Current Situation, Future Perspectives and Impacts of Climate Change. Multidisciplinary Digital Publishing Institute; 2018.
- 114. Lucas EC, Mendes-Da-Silva W: Impact of climate on firm value: evidence from the electric power industry in Brazil. Energy 2018. 153:359-368.
- 115. Fernandes G, Gomes LL, Teixeira Brandao LE: A risk-hedging tool for hydro power plants. Renew Sustain Energy Rev 2018, **90**:370-378.

- 116. Hunt JD, Byers E, Riahi K, Langan S: Comparison between seasonal pumped-storage and conventional reservoir dams from the water, energy and land nexus perspective. Energy Convers Manag 2018, 166:385-401.
- 117. de Faria FAM, Jaramillo P: The future of power generation in Brazil: an analysis of alternatives to Amazonian hydropower development. Energy Sustain Dev 2017, 41:24-35.
- 118. Callegari C. Szklo A. Schaeffer R: Cost overruns and delays in energy megaprojects: how big is big enough? Energy Policy 2018. 114:211-220.

Presents quantitative estimates of cost of overruns and delays in the construction of Santo Antônio, Jirau and Belo Monte dams, concluding that megaprojects fail to deliver the economies of scale embedded in large projects because the exposure to risk is disproportionate to the financial economies they can generate.

- 119. Ansar A, Flyvbjerg B, Budzier A, Lunn D: Should we build more large dams? The actual costs of hydropower megaproject development. Energy Policy 2014, 69:43-56.
- 120. World Commission on Dams (WCD): Dams and Development: A New Framework for Decision-Making. Earthscan; 2000.
- 121. Kirchherr J, Charles KJ: The social impacts of dams: a new framework for scholarly analysis. Environ Impact Assess Rev 2016. 60:99-114

Presents a framework to inform scholarly analyses of social impacts of hydroelectric dams.

- 122. dos Santos MC: The concept of "affected people" by dams human rights and citizenship. Direito e Prax 2015, 6:113-
- 123. Athayde S, Moreira PFF, Heckenberger M: Public feedback at risk in Brazil. Science (80-) 2016, 353:1217.
- 124. Del Bene D, Scheidel A, Temper L: More dams, more violence? A global analysis on resistances and repression around conflictive dams through co-produced knowledge. Sustain Sci 2018. 13.
- 125. Castro E: Production of knowledge about hydroelectric dams in the social sciences in Brazil. Novos Cad NAEA 2018, 21:31-
- 126. Luzia Ferraco A: Belo Monte dam: a case for third generation rights legitimacy. Rev Andin Estud Polit 2018, 8:104-122.
- 127. Riethof M: The international human rights discourse as a strategic focus in socio-environmental conflicts: the case of hydro-electric dams in Brazil. Int J Hum Rights 2017, 21:482-
- 128. Heiskel TM: Recognizing women in the struggle for social and environmental justice in the context of the Belo Monte hydropower dam in the Brazilian Amazon. MS Thesis. Norwegian University of Life Sciences; 2016.
- 129. Castro-Diaz L, Lopez MC, Moran E: Gender-differentiated
 impacts of the Belo Monte Hydroelectric Dam on downstream fishers in the Brazilian Amazon. Hum Ecol 2018, 46

Presents evidence of gender-differentiated impacts of the Belo Monte dam on displaced fisherwomen that were not consulted nor compensated for their losses.

- 130. Athayde S: Introduction: indigenous peoples, dams and resistance in Brazilian Amazonia. Tipiti: J Soc Anthropol Lowl South Am 2014, 12:80-92.
- 131. Zanotti L: Water and life: hydroelectric development and indigenous pathways to justice in the Brazilian Amazon. Polit Groups Identities 2015, 3:666-672.
- 132. Fórum Teles Pires: Barragens e Povos Indígenas no Rio Teles Pires: Características e Consequências de Atropelos no Planejamento, Licenciamento e Implantação das UHEs Teles Pires e São Manoel. 2017.
- 133. Randell H: Forced migration and changing livelihoods in the Brazilian Amazon. Rural Sociol 2017, 82:548-573.
- 134. Alonso S: Belo Monte e a questão indígena. Novos Cad NAEA 2015, 18:275-280.

- 135. Walker R, Simmons C: Endangered Amazon: an indigenous tribe fights back against hydropower development in the Tapajós Valley. Environ Sci Policy Sustain Dev 2018, 60:4-15.
- 136. McCormick S: The Brazilian Anti-dam movement: knowledge contestation as communicative action. Organ Environ 2006, 19:321-346.
- 137. Ayu Ipereg: Protocolo de Consulta Munduruku. 2016.
- 138. Garzón BR, Yamada E, Oliveira R, Cerqueira D, Grupioni LDB: Obstacles and Resistance to the Process of Implementing the Right to Free, Prior and Informed Consultation and Consent in
- 139. International Labour Organization (ILO): Indigenous and Tribal Peoples Convention 1989, C169 available at: https://www refworld.org/docid/3ddb6d514.html [accessed 17 July 2019].
- 140. Doria CRC, Athayde S, Dutka-Gianelli J, Luiz AMT: Seminário e Oficina Internacional Brasil, Bolivia e Peru: Desafios Nacionais e Internacionais de Gestão dos Recursos Pesqueiros na Bacia do Madeira. 2018.
- 141. Laufer J, Athayde S, Moreira PF, Soares LRR, Busquets M, Giraldin O, Marques EE, Medeiros AF, Mesquita EM, Setúbal S et al.: Gestão Participativa da Biodiversidade em Terras Indigenas afetadas por Barragens Hidrelétricas na Amazônia Brasileira Relatório Técnico Oficina Tocantínia. 2016.
- 142. Schmitz Nunes MU, Hallwass G, Matias Silvano RA: Fishers' local ecological knowledge indicate migration patterns of tropical freshwater fish in an Amazonian river. Hydrobiologia 2019, 833:197-215
- 143. Gauthier C, Lin Z, Peter BG, Moran EF: Hydroelectric infrastructure and potential groundwater contamination in the Brazilian Amazon: Altamira and the Belo Monte Dam. Prof Geogr 2019, 71:292-300.
- 144. De Queiroz ARS, Motta-Veiga M: Análise dos impactos sociais e à saúde de grandes empreendimentos hidrelétricos: lições para uma gestão energética sustentável. Cien Saude Colet 2012, **17**:1387-1398.
- 145. Gauthier C, Moran EF: Public policy implementation and basic sanitation issues associated with hydroelectric projects in the Brazilian Amazon: Altamira and the Belo Monte dam. Geoforum 2018, 97:10-21,
- 146. Simão BP, Athayde S: Resiliência socioecológica em comunidades deslocadas por hidrelétricas na Amazônia: o caso de Nova Mutum Paraná, Rondônia. Sustentabilidade em
- 147. Begossi A, Salivonchyk SV, Hallwass G, Hanazaki N, Lopes PFM, Silvano RAM, Dumaresq D, Pittock J, Salivonchyk VS, Hallwass G et al.: Fish consumption on the Amazon: a review of biodiversity, hydropower and food security issues. Braz J Biol 2019. 79:368.
- 148. Abe KC, El Khouri Miraglia SG: Dengue incidence and associated costs in the periods before (2000-2008) and after (2009-2013) the construction of the hydroelectric power plants in Rondonia, Brazil. Epidemiol e Serv Saude 2018, 27.
- 149. Valle D, Lima JMT: Large-scale drivers of malaria and priority areas for prevention and control in the Brazilian Amazon region using a novel multi-pathogen geospatial model. Malar J
- 150. Hacon SS, Dorea JG, Fonseca M de F, Oliveira BA, Mourao DS, Ruiz CMV, Goncalves RA, Mariani CF, Bastos WR: **The Influence** of changes in lifestyle and mercury exposure in riverine populations of the Madeira River (Amazon Basin) near a hydroelectric project. Int J Environ Res Public Health 2014, 11:2437-2455
- 151. Égré D, Roquet V, Durocher C: Monetary benefit sharing from dams: a few examples of financial partnerships with Indigenous communities in Québec (Canada). Int J River Basin Manag 2007, 5:235-244.
- 152. Tundisi JG, Goldemberg J, Matsumura-Tundisi T, Saraiva ACF: How many more dams in the Amazon. Energy Policy 2014, 74.

- 153. Atkins E: Dammed and diversionary: the multi-dimensional framing of Brazil's Belo Monte dam. Singap J Trop Geogr 2017,
- 154, Ahlers R. Budds J. Joshi D. Merme V. Zwarteveen M: Framing hydropower as green energy: assessing drivers, risks and tensions in the Eastern Himalayas. Earth Syst Dyn 2015, 6:195-
- 155. Scudder T, Gay J: A comparative survey of dam-induced resettlement in 50 cases. In The Future of Large Dams: Dealing With Social, Environmental, Institutional And Political Costs. Edited by Scudder T. 2005.
- 156. Zarfl C, Lumsdon AE, Berlekamp J, Tydecks L, Tockner K: A global boom in hydropower dam construction. Aguat Sci 2014,
- 157. Aeria A: Economic development via dam building: the role of the state government in the Sarawak Corridor of renewable energy and the impact on environment and local communities. 373 Southeast Asian Stud 2016, 5:373-412.
- 158. Pulice SMP, Roquetti DR, Gomes CS, Moretto EM: Usinas Hidrelétricas e Desenvolvimento Municipal: O Caso das Usinas Hidrelétricas do Complexo Pelotas-Uruguai. Rev Gestão Ambient e Sustentabilidade 2017, 6:150-163.
- 159. Pulice SMP, Moretto EM: The financial compensation and the development of Brazilian municipalities flooded by hydroelectric dams. Ambient Soc 2018, 20:103-126
- 160. Assunção J, Szerman D, Costa F: Efeitos locais de Hidrelétricas no Brasil. INPUT/Climate Policy Initiative; 2016.
- 161. de Faria FAMM, Davis A, Severnini E, Jaramillo P: The local socioeconomic impacts of large hydropower plant development in a developing country. Energy Econ 2017, 67:533-544.

- 162. Pulice SMP, Branco EA, Gallardo ALCF, Roquetti DR, Moretto EM: Evaluating monetary-based benefit-sharing as a mechanism to improve local human development and its importance for impact assessment of hydropower plants in Brazil. J Environ Assess Policy Manage 2019, 21 1950003.
- 163. Randell H: The short-term impacts of development-induced displacement on wealth and subjective well-being in the Brazilian Amazon. World Dev 2016, 87:385-400.
- 164. Tilt B, Braun Y, He D: Social impacts of large dam projects: a comparison of international case studies and implications for best practice. J Environ Manage 2009, 90:S249-S257.
- 165. Cernea MM: Development and population displacement. Collection of Global Course Syllabi Relating to Internally Displaced Persons 2004
- 166. Vanclay F: Conceptualising social impacts. Environ Impact Assess Rev 2002, 22:183-211.
- 167. Sánchez LE, Mitchell R: Conceptualizing impact assessment as a learning process. Environ Impact Assess Rev 2017, 62:195-204. Explores how project developers and their consultants, government regulators and stakeholders can learn from the impact assessment process, developing sustainability-oriented norms and values.
- 168. Kirchherr J, Pohlner H, Charles KJ: Cleaning up the big muddy: a meta-synthesis of the research on the social impact of dams. Environ Impact Assess Rev 2016, 60:115-125.
- 169. Brown PH, Tullos D, Tilt B, Magee D, Wolf AT: Modeling the costs and benefits of dam construction from a multidisciplinary perspective. J Environ Manage 2009, 90:S303-S311.
- 170. UN. United Nations Organization/IPBES: Indigenous and Local Knowledge Systems (deliverable 1 (c)). IPBES/5/4. 2016.